RAW SEQUENCE LISTING
ERROR REPORT

BIOTECHNOLOGY
SYSTEMS
BRANCH

RECEIVED
APR 1 9 2002
TECH CENTER 1600/2900

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: _10/073,735_
Source: _OIPE,_
Date Processed by STIC: _3/1/2002_

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY
FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.
PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)
PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO **REDUCE** ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 3.1 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:
http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm> , EFS Submission User Manual - ePAVE)
2. **U.S. Postal Service:** U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. **Hand Carry directly to:**
   U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
   Or
   U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. **Federal Express, United Parcel Service, or other delivery service to:** U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

RECEIVED

APR 1 9 2002

TECH CENTER 1600/2900

OIPE

RAW SEQUENCE LISTING   DATE: 03/01/2002
PATENT APPLICATION: US/10/073,735   TIME: 11:02:01

Input Set : **A:\SEQ Listing_FCER1A.ST25.txt**
Output Set: **N:\CRF3\03012002\J073735.raw**

Does Not Comply
Corrected Diskette Needed

```
 3 <110> APPLICANT: Genaissance Pharmaceuticals, Inc.
 4        Chew, Anne
 5        Denton, R. Rex
 6        Duda, Amy
 7        Kliem, Stefanie E.
 8        Brown, Elizabeth M.
 9        Nandabalan, Krishnan
10        Stephens, J. Claiborne
12 <120> TITLE OF INVENTION: HAPLOTYPES OF THE FCER1A GENE
14 <130> FILE REFERENCE: MWH-0007US
16 <140> CURRENT APPLICATION NUMBER: US/10/073,735
17 <141> CURRENT FILING DATE: 2002-02-11
19 <150> PRIOR APPLICATION NUMBER: 60/147,860
20 <151> PRIOR FILING DATE: 1999-08-09
22 <150> PRIOR APPLICATION NUMBER: PCT/US00/21097
23 <151> PRIOR FILING DATE: 2000-08-02
25 <160> NUMBER OF SEQ ID NOS: 114
27 <170> SOFTWARE: PatentIn version 3.1
```

ERRORED SEQUENCES

```
1221 <210> SEQ ID NO: 114
1222 <211> LENGTH: 2640
1223 <212> TYPE: DNA
1224 <213> ORGANISM: Homo sapiens
1226 <220> FEATURE:
1227 <221> NAME/KEY: allele
1228 <222> LOCATION: (30)..(30)
1229 <223> OTHER INFORMATION: PS1: Polymorphic base T or G
1231 <220> FEATURE:
1232 <221> NAME/KEY: misc_feature
1233 <222> LOCATION: (61)..(120)
1234 <223> OTHER INFORMATION: N's represent sequence between PS1 and PS2
1236 <220> FEATURE:
1237 <221> NAME/KEY: allele
1238 <222> LOCATION: (150)..(150)
1239 <223> OTHER INFORMATION: PS2: Polymorphic base T or G
1241 <220> FEATURE:
1242 <221> NAME/KEY: misc_feature
1243 <222> LOCATION: (181)..(240)
1244 <223> OTHER INFORMATION: N's represent sequence between PS2 and PS3
1246 <220> FEATURE:
```

see pp 5,6

"y" represents T or C

RAW SEQUENCE LISTING   DATE: 03/01/2002
PATENT APPLICATION: US/10/073,735   TIME: 11:02:01

Input Set : **A:\SEQ Listing_FCER1A.ST25.txt**
Output Set: **N:\CRF3\03012002\J073735.raw**

```
1247 <221> NAME/KEY: allele
1248 <222> LOCATION: (270)..(270)
1249 <223> OTHER INFORMATION: PS3: Polymorphic base T or C
1252 <220> FEATURE:
1253 <221> NAME/KEY: misc_feature
1254 <222> LOCATION: (301)..(360)
1255 <223> OTHER INFORMATION: N's represent sequence between PS3and PS4
1257 <220> FEATURE:
1258 <221> NAME/KEY: allele
1259 <222> LOCATION: (390)..(390)
1260 <223> OTHER INFORMATION: PS4: Polymorphic base A or T
1262 <220> FEATURE:
1263 <221> NAME/KEY: misc_feature
1264 <222> LOCATION: (421)..(480)
1265 <223> OTHER INFORMATION: N's represent sequence between PS4 and PS5
1267 <220> FEATURE:
1268 <221> NAME/KEY: allele
1269 <222> LOCATION: (510)..(510)
1270 <223> OTHER INFORMATION: PS5: Polymorphic base C or A
1272 <220> FEATURE:
1273 <221> NAME/KEY: misc_feature
1274 <222> LOCATION: (541)..(600)
1275 <223> OTHER INFORMATION: N's represent sequence between PS5 and PS6
1277 <220> FEATURE:
1278 <221> NAME/KEY: allele
1279 <222> LOCATION: (630)..(630)
1280 <223> OTHER INFORMATION: PS6: Polymorphic base T or C
1282 <220> FEATURE:
1283 <221> NAME/KEY: misc_feature
1284 <222> LOCATION: (661)..(720)
1285 <223> OTHER INFORMATION: N's represent sequence between PS6 and PS7
1287 <220> FEATURE:
1288 <221> NAME/KEY: allele
1289 <222> LOCATION: (750)..(750)
1290 <223> OTHER INFORMATION: PS7: Polymorphic base C or A
1292 <220> FEATURE:
1293 <221> NAME/KEY: misc_feature
1294 <222> LOCATION: (781)..(840)
1295 <223> OTHER INFORMATION: N's represent sequence between PS7 and PS8
1297 <220> FEATURE:
1298 <221> NAME/KEY: allele
1299 <222> LOCATION: (870)..(870)
1300 <223> OTHER INFORMATION: PS8: Polymorphic base C or T
1302 <220> FEATURE:
1303 <221> NAME/KEY: misc_feature
1304 <222> LOCATION: (901)..(960)
1305 <223> OTHER INFORMATION: N's represent sequence between PS8 and PS9
1308 <220> FEATURE:
1309 <221> NAME/KEY: allele
```

```
1310 <222> LOCATION: (990)..(990)
1311 <223> OTHER INFORMATION: PS9: Polymorphic base A or G
1313 <220> FEATURE:
1314 <221> NAME/KEY: misc_feature
1315 <222> LOCATION: (1021)..(1080)
1316 <223> OTHER INFORMATION: N's represent sequence between PS9 and PS10
1318 <220> FEATURE:
1319 <221> NAME/KEY: allele
1320 <222> LOCATION: (1110)..(1110)
1321 <223> OTHER INFORMATION: PS10: Polymorphic base A or G
1323 <220> FEATURE:
1324 <221> NAME/KEY: misc_feature
1325 <222> LOCATION: (1141)..(1200)
1326 <223> OTHER INFORMATION: N's represent sequence between PS10 and PS11
1328 <220> FEATURE:
1329 <221> NAME/KEY: allele
1330 <222> LOCATION: (1230)..(1230)
1331 <223> OTHER INFORMATION: PS11: Polymorphic base G or A
1333 <220> FEATURE:
1334 <221> NAME/KEY: misc_feature
1335 <222> LOCATION: (1261)..(1320)
1336 <223> OTHER INFORMATION: N's represent sequence between PS11 and PS12
1338 <220> FEATURE:
1339 <221> NAME/KEY: allele
1340 <222> LOCATION: (1350)..(1350)
1341 <223> OTHER INFORMATION: PS12: Polymorphic base T or C
1343 <220> FEATURE:
1344 <221> NAME/KEY: misc_feature
1345 <222> LOCATION: (1381)..(1440)
1346 <223> OTHER INFORMATION: N's represent sequence between PS12 and PS13
1348 <220> FEATURE:
1349 <221> NAME/KEY: allele
1350 <222> LOCATION: (1470)..(1470)
1351 <223> OTHER INFORMATION: PS13: Polymorphic base G or A
1353 <220> FEATURE:
1354 <221> NAME/KEY: misc_feature
1355 <222> LOCATION: (1501)..(1560)
1356 <223> OTHER INFORMATION: N's represent sequence between PS13 and PS14
1358 <220> FEATURE:
1359 <221> NAME/KEY: allele
1360 <222> LOCATION: (1590)..(1590)
1361 <223> OTHER INFORMATION: PS14: Polymorphic base G or A
1365 <220> FEATURE:
1366 <221> NAME/KEY: misc_feature
1367 <222> LOCATION: (1621)..(1680)
1368 <223> OTHER INFORMATION: N's represent sequence between PS14 and PS15
1370 <220> FEATURE:
1371 <221> NAME/KEY: allele
1372 <222> LOCATION: (1710)..(1710)
```

RAW SEQUENCE LISTING   DATE: 03/01/2002
PATENT APPLICATION: US/10/073,735   TIME: 11:02:01

Input Set : **A:\SEQ Listing_FCER1A.ST25.txt**
Output Set: **N:\CRF3\03012002\J073735.raw**

```
1373 <223> OTHER INFORMATION: PS16: Polymorphic base G or A
1375 <220> FEATURE:
1376 <221> NAME/KEY: misc_feature
1377 <222> LOCATION: (1741)..(1800)
1378 <223> OTHER INFORMATION: N's represent sequence between PS15 and PS16
1380 <220> FEATURE:
1381 <221> NAME/KEY: allele
1382 <222> LOCATION: (1830)..(1830)
1383 <223> OTHER INFORMATION: PS16: Polymorphic base C or T
1385 <220> FEATURE:
1386 <221> NAME/KEY: misc_feature
1387 <222> LOCATION: (1861)..(1920)
1388 <223> OTHER INFORMATION: N's represent sequence between PS16 and PS17
1390 <220> FEATURE:
1391 <221> NAME/KEY: allele
1392 <222> LOCATION: (1950)..(1950)
1393 <223> OTHER INFORMATION: PS17: Polymorphic base C or T
1395 <220> FEATURE:
1396 <221> NAME/KEY: misc_feature
1397 <222> LOCATION: (1981)..(2040)
1398 <223> OTHER INFORMATION: N's represent sequence between PS17 and PS18
1400 <220> FEATURE:
1401 <221> NAME/KEY: allele
1402 <222> LOCATION: (2070)..(2070)
1403 <223> OTHER INFORMATION: PS18: Polymorphic base Tor C
1405 <220> FEATURE:
1406 <221> NAME/KEY: misc_feature
1407 <222> LOCATION: (2101)..(2160)
1408 <223> OTHER INFORMATION: N's represent sequence between PS18 and PS19
1410 <220> FEATURE:
1411 <221> NAME/KEY: allele
1412 <222> LOCATION: (2190)..(2190)
1413 <223> OTHER INFORMATION: PS19: Polymorphic base C or A
1415 <220> FEATURE:
1416 <221> NAME/KEY: misc_feature
1417 <222> LOCATION: (2221)..(2280)
1418 <223> OTHER INFORMATION: N's represent sequence between PS19 and PS20
1421 <220> FEATURE:
1422 <221> NAME/KEY: allele
1423 <222> LOCATION: (2310)..(2310)
1424 <223> OTHER INFORMATION: PS20: Polymorphic base T or C
1426 <220> FEATURE:
1427 <221> NAME/KEY: misc_feature
1428 <222> LOCATION: (2341)..(2400)
1429 <223> OTHER INFORMATION: N's represent sequence between PS20 and PS21
1431 <220> FEATURE:
1432 <221> NAME/KEY: allele
1433 <222> LOCATION: (2430)..(2430)
1434 <223> OTHER INFORMATION: PS21: Polymorphic base A or G
```

```
1436 <220> FEATURE:
1437 <221> NAME/KEY: misc_feature
1438 <222> LOCATION: (2461)..(2520)
1439 <223> OTHER INFORMATION: N's represent sequence between PS21 and PS22
1441 <220> FEATURE:
1442 <221> NAME/KEY: allele
1443 <222> LOCATION: (2550)..(2550)
1444 <223> OTHER INFORMATION: PS22: Polymorphic base G or A
1446 <220> FEATURE:
1447 <221> NAME/KEY: misc_feature
1448 <222> LOCATION: (2581)..(2640)
1449 <223> OTHER INFORMATION: N's represent sequence 3' to PS22
1451 <400> SEQUENCE: 114
1452 taggattatt gtgaaaaata aatgaaatak cagatttatt taggataaca cctggcatat      60
1453 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     120
1454 agtaattagt tgctgctgtt ttattctgcy ctcccttgca tcccactttt ctaagttgta     180
1455 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     240
1456 ggcacagctg atgggttaac cagatatgay acagaaaaca tttccttctg cttttttggtt    300
1457 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     360
1458 ctgatgggtt aaccagatat gatacagaaw acatttcctt ctgctttttg gttttaagcc     420
1459 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     480
1460 gttcttcggt aagtagagat tcaattaccm ctcccaggga ggcccaaatg aatttgggga     540
1461 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     600
1462 gagataaaga agactgctgg acactaatgy atcctctctg gactttgca gctccagatg      660
1463 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     720
1464 aagaagactg ctggacacta atgtatcctm tctggacttt tgcagctcca gatggcgtgt     780
1465 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     840
1466 tcgtcccatc acttctgctt tctaatgagy atgaatctgt tccttggcca gactactttc     900
1467 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn     960
1468 actaatttct ccttcccta gaaatcaaar cagggtctta tcaccaacag aataaggaca     1020
1469 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1080
1470 aaattcaagt ttgaatattg tgaatgccar atttgaagac agtggagaat acaaatgtca    1140
1471 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1200
1472 caaatgtcag caccaacaag ttaatgagar tgaacctgtg tacctggaag tcttcagtgg    1260
1473 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1320
1474 taggacacca gagtgggatt caaggcctcy catttttaag acccctgcat tggctgggca    1380
1475 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1440
1476 ctcacgcctg taatcccagc actttgggar gctgaggcag gtggatcacg aggtcaggag    1500
1477 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1560
1478 atcacgaggt caggagatcg agaccatccr gctaacatgg tgaaacccca tctctgctaa    1620
1479 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1680
1480 catagtttct gacacatgct ctatgcgtgr ctctctttc tctattcatt ctctctctct    1740
1481 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1800
1482 agttgaagac agtggaacct actactgtay gggcaaagtg tggcagctgg actatgagtc    1860
1483 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1920
1484 gggcacctgt gatacactgg aaagcctacy agacttgcaa tgaggagacc tgggtgatag    1980
1485 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    2040
1486 tttcaaagcc ttgacttgtt aaatggtgay agtaatacct gcttgcacta tgaaattttt    2100
1487 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    2160
```

RAW SEQUENCE LISTING   DATE: 03/01/2002
PATENT APPLICATION: US/10/073,735   TIME: 11:02:01

Input Set : A:\SEQ Listing_FCER1A.ST25.txt
Output Set: N:\CRF3\03012002\J073735.raw

```
     1488 agaaccagga aaggcttcag acttctgaam ccacatccta agccaaaccc caaaaacaac  2220
     1489 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn  2280
     1490 attagttttt ttccagcatc agcaattgcy actcaattgt caaacacagc ttgcaatata  2340
     1491 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn  2400
     1492 ttgctactca attgtcaaac acagcttgcr atatacatag aaacgtctgt gctcaaggat  2460
     1493 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn  2520
     1494 agaaatgctt cattaaactg agtgaaactr gttaagtggc atgtaatagt aagtgctcaa  2580
     1495 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn  2640
E--> 1501 (27)
          delete
```

VERIFICATION SUMMARY
PATENT APPLICATION: **US/10/073,735**

DATE: 03/01/2002
TIME: 11:02:02

Input Set : **A:\SEQ Listing_FCER1A.ST25.txt**
Output Set: **N:\CRF3\03012002\J073735.raw**

L:16 M:270 C: Current Application Number differs, Replaced Current Application Number
L:58 M:283 W: Missing Blank Line separator, <220> field identifier
L:1453 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1455 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1457 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1459 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1461 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1463 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1465 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1467 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1469 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1471 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1473 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1475 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1477 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1479 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1481 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1483 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1485 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1487 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1489 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1491 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1493 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1495 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:1501 M:254 E: No. of Bases conflict, LENGTH:Input:27 Counted:2640 SEQ:114